Reference No.: CIDCO/BP-15396/TPO(NM & K)/2016/1733

Date: 24/6/2017

To,

M/S.VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX SHOP NO.03, MAHAVIR KUTIR, PLOT NO.19, SECTOR-42, SEAWOODS, NERUL, NAVI MUMBAI. PIN - 400706

#### ASSESSMENT ORDER NO. 2017/1565

| Unique Code No. | 2 | 0 | 1 | 6 | 0 | 3 | 0 | 2 | 0 | 0 | 2 | 0 | 3 | .9 | 6 | 0 | 1 |
|-----------------|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|---|
| 17111           |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |   |   |

Sub: Payment of Construction & Other Workers Welfare Cess charges for Residential Building on Plot No. 135, Sector 53 at Dronagiri 12.5 % Scheme Plot, Navi Mumbai.

Ref: 1)Your Proposal No. .CIDCO/BP-15396/TPO(NM & K)/2016 dated 15 December, 2016

**ESSMENT OF CONSTRUCTION & OTHER WORKERS WELFARE CESS** (AS PER BUILDING AND OTHER CONSTRUCTION WORKER'S WELFARE CESS RULES, 1998) MIS VILLA REALTOR, THROUGH ITS PARTNERS MR. KETAN VINOD Name of Assessed VYAS AND OTHERS SIX Location Plot No. 135, Sector 53 at Dronagiri , Navi Mumbai. Plot Use : Residential 49.93 4) Plot I 5) SESSEMI 6) Payment Detail Challan Recepit Sr. Challan Date Recepit Number Mode Challan Num No. Amount Date 00493/TPO/Account/7609/20 Demand 438720 5/5/2017 1 20160302002039601 18/4/2017 Draft

Yours faithfully,

ASSOCIATE PLANNER (BP)

Page 3 of 10

To.

M/S.VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX SHOP NO.03, MAHAVIR KUTIR, PLOT NO.19, SECTOR-42, SEAWOODS, NERUL, NAVI MUMBAI. PIN - 400706

#### ASSESSMENT ORDER NO. 2017/1565

Sub: Payment of New development charges for Residential Building on Plot No. 135, Sector 53 at Dronagiri 12.5 % Scheme Plot, Navi Mumbai.

Ref: 1) Architect's online application dtd. 15/12/2016

2) Final Transfer Order CIDCO/Estate/12.5% Sch/Dronagiri/1151/2016/8022, dtd. 27/04/2016

3) Extension in time limit NOC No.CIDCO/Estate/12.5% Sch/Dronagiri/1151/2016/14189, dtd. 24/11/2016

4) Height Clearance NOC No.CIDCO/TPO(NM&K)/2016/1250, dtd.10/06/2016

5) Maveja NOC CIDCO/Estate/12.5% Sch/Dronagiri/1151/2016/14189, dtd.24/11/2016

Fire NQC No.CIDCO/FIRE/HQ/711/2017, dtd. 18/01/2017

7) 5926 IDS mad of Rs. 3,74,965/- vide Receipt No. 16782, dtd. 04/05/2017

Total Built up Area \* Rate

**Total Assessed Charges** 

ORDER OF ASSESSMENT OF DEVELOPMENT CHARGES.

(AS PER MAN BASHER REGIONAL & TOWN PLANNING (AMENDED) ACT 2010)

1) Name of Asses

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

2) Location
| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

2) Location
| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

2) Location
| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

2) Location
| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

2) Location
| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX

| Mile VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX AND OT

Resi:1124.895 \* 8

7) Date of Assessment : 24 June, 2017

8) Payment Details

Scrutiny Fees

| Sr. Challan Number |                    | Challan Date | Challan<br>Amount | Recepit Number                  | Recepit<br>Date | Mode            |  |
|--------------------|--------------------|--------------|-------------------|---------------------------------|-----------------|-----------------|--|
| 1                  | CIDCO/BP/2016/1370 | 12/06/2016   | 8999              | 02068/TPO/Account/7609/20<br>16 | 8/12/2016       | Demand<br>Draft |  |
| 2                  | CIDCO/BP/2016/1478 | 04/18/2017   | 1174583           | 00494/TPO/Account/7609/20<br>17 | 5/5/2017        | Demand<br>Draft |  |

Unique Code No. 2016 03 020 02 0396 01 is for this New Development Permission for Residential Building on Plot No. 135, Sector 53 at Dronagiri 12.5 % Scheme Plot, Navi Mumbai.

Yours faithfully

ASSO PLANNER (BP)

8999

8999

Reference No.: CIDCO/BP-15396/TPO(NM & K)/2016/1733 Date: 24/6/2017 CC to : ATUL PATEL ARCHITECTS ASSOCIATE PLANNER (BP) 1209, THE LANMARK, PLOT NO.- 26/A, SECTOR-7, NR. THREE STAR HOTEL, , KHARGHAR

Page 2 of 10



## COMMENCEMENT CERTIFICATE

To.

M/S.VILLA REALTOR, THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX SHOP NO.03, MAHAVIR KUTIR, PLOT NO.19, SECTOR-42, SEAWOODS, NERUL, NAVI MUMBAI. PIN - 400706

Sub : Development Permission for Residential [ Residential Bldg/Apartment ] Building on

Plot No. 135, Sector 53 at Dronagiri 12.5 % Scheme Plot, Navi Mumbai.

Ref: 1) Architect's online application dtd. 15/12/2016

Final Transfer Order CIDCO/Estate/12.5% Sch/Dronagirl/1151/2016/8022, dtd. 27/04/2016

Extension in time limit NOC No.CIDCO/Estate/12.5% Sch/Dronagiri/1151/2016/14189, dtd. 24/11/2016

4) Height Charance NOC No.CIDCO/TPO(NM&K)/2016/1250, dtd.10/06/2016

5 Mayer NOS 010 (0/Estate/12.5% Sch/Dronagin/1151/2016/14189, dtd.24/11/2016

6) Fire NOC No. GIBCO/FIRE/HQ/711/2017, dtd. 18/01/2017

7) 50% IDC paid of Rs. 3,74,065/- vide Receipt No. 16782, dtd. 04/05/2017

Door Sir / Madam,

ment Permissions her avigranted is an exact Randow fal [ Residentia

Biddy Cherument I Building on Felot in Intigring a

nning (MRTP) ACT 1966 is also enclosed a colonial for the continues referred also

The Developer / Individual plot Owner should obtain the proposed finished finished road edge level from the concerned Nodal Executive Engineer. The Developer/ Flot Owner to ensure that the finished plinth level of the proposed buildings / shops to be minimum 750 mm above the proposed finished road edge level. In case, the building is having stilt, the finished stilt level to be minimum 300 mm, above the road edge level.

The approval for plumbing services i.e. drainage and water supply shall be separately obtained by the applicant from the concerned nodal Executive Engineer, CIDCO prior to the commencement of the construction work.

You will ensure that the building materials will not be stacked on the road during the construction period.

The Developers / Builders shall take all precautionary measures for prevention of Malaria breeding during the construction period if the project. If required, you can approach Health Department CIDCO, for orientation program and pest control at project site to avoid Epidemic.

Thanking you,

Yours faithfully,

ASSOCIATE PLANNER (BP)

C.C. to: ATUL PATEL ARCHITECTS

1209, THE LANMARK, PLOT NO. - 26/A, SECTOR-7, NR. THREE STAR HOTEL, ,





Page 5 of 10

Reference No.: CIDCO/BP-15396/TPO(NM & K)/2016/1733

### COMMENCEMENT CERTIFICATE

Permission is hereby granted under section - 45 of the Maharashtra Regional and Town Planning Act. 1966 (MaharashtraXXXVII) of 1966 to M/s M/S.VILLA REALTOR,THROUGH ITS PARTNERS MR.KETAN VINOD VYAS AND OTHERS SIX , SHOP NO.03,MAHAVIR KUTIR,PLOT NO.19,SECTOR-42,SEAWOODS,NERUL,NAVI MUMBAI. for Plot No. 135 , Sector 53 , Node Dronagiri . As per the approved plans and subject to the following conditions for the development work of the proposed Residential [ Residential Bldg/Apartment ] in 12.5 % Scheme Plot 1Ground Floor + 7Floor Net Builtup Area [Residential [ Residential Bldg/Apartment ] = 1,091.35] Sq m . TOTAL BUA - III 7.82

#### Nos. Of Residential Units :- 42

- A. This Commencement Certificate is valid up to plinth level only. The further order will be given after the plinth is inspected and plinth Completion Certificate is issued.
- B Applicant Should Construct Hutments for labors at site.
- Applicant should provide drinking water and toilet facility for labors at site.

# 1. This Certificate is liable to be revoked by the Corporation if

- 1(a) The second of the part of the use in the use in the use of the second of the Sancton plans.

  1(b) the poration's contravened.
- 1(c) The Managina Director is satisfied that the sale is extrated by the applicant in Englished to Misrepresentation and the applicant and/or any person deriving title under him, in such an event shall be deemed to have carried out the development work in contravention of section 43 or 45 of the Maharashtra Regional and Town Planning Act- 1966.

#### 2. The applicant shall :-

- 2(a) Give a notice to the Corporation for completion of development work upto plinth level, at least 7 days before the commencement of the further work.
- 2(b) Give written notice to the Corporation regarding completion of the work.
- 2(c) Obtain Occupancy Certificate from the Corporation.
- 2(d) Permit authorized officers of the Corporation to enter the building or premises for which the permission has been granted, at any time for the purpose of ensuring the building control Regulations and conditions of this certificate.
- The Certificate shall remain valid for period of 1 year from the date of its issue, thereafter
  revalidation of the same shall be done in accordance with provision of Section 48 of MRTP Act1966 and as per regulations no. 16.1(2) of the GDCRs 1975.

Page 6 of 10

Date: 24/6/2017


- The conditions of this certificate shall be binding not only on the applicant but also on its successors and/or every person deriving title through or under him.
- 5. A certified copy of the approved plan shall be exhibited on site.
- 6. The amount of Rs 4,000.00/- deposited with CIDCO as security deposit shall be forfeited either in whole or in part at the absolute discretion of the Corporation for breach of any of the conditions attached to the permission covered by the Commencement Certificate. Such forfeiture shall be without prejudice to any other remedy or right of Corporation.
- 7. "Every Building shall be provided with underground and over head water tank. The capacity of the tanks shall be as per norms fixed by CIDCO. In case of high rise buildings underground and over head water tank shall be provided as per the fire fighting requirements of CIDCO. The applicant shall seek approval of the EE (Water Supply) of CIDCO in respect of capacity of domestic water tanks. The applicant shall seek approval of the Fire Officer of CIDCO in respect of capacity of water tanks for the fire fighting purpose".
- You shall approach Executive Engineer, M.S.E.B. for the power requirements, location of
- 9 As per Go Carl Maharashtra memorandum vide no TBP/4393/1504/C4-287/94, UD-11/RDP
  Dated 19 1 2015, 1994 for all buildings followed excit by a collaboration eshall at the last of the collaboration o
  - i)) of the property of the development, proposition for the construction of the development of the property of the state of the construction of th
  - Name and address of the owner/developer, architect and contactor.
  - Survey Number/City survey Number, Plot Number/Sector & Node of Land under reference along with description of its boundaries.
  - c) Order Number and date of grant of development permission or re-development permission issued by the Planning Authority or any other authority.
  - d) Number of Residential flats/Commercial Units with areas.
  - e) Address where copies of detailed approved plans shall be available for inspection.
  - ii) A notice in the form of an advertisement, giving all the detailed mentioned in (i) above, shall be published in two widely circulated newspapers one of which should be in regional language.
- 11. As directed by the Urban Development Deptt. Government of Maharashtra, under Section -154 of MR & TP Act- 1966 and vide Provision No. TPB 432001/2133/CR-230/01/UD-11,dated 10/03/2005, for all buildings, greater than 300.00 Sq. m. following additional condition of Rain Water Harvesting shall apply.

All the layout open spaces/amenities spaces of Housing Society and construction /reconstruction / additions on plots having area not less than 300.00 Sq. m. shall have one or more Rain Water Harvesting structures having minimum total capacity as detailed in schedule (enclosed).

Provided that the authority may approve the Rain water Harvesting Structures of specifications different from those in Schedule, subject to the minimum capacity of Rain Water Harvesting being ensured in each case.

b) The owner/society of every building mentioned in the (a) above shall ensure that the Rain Water Harvesting structure is maintained in good repair for storage of water for non potable purposes or recharge of groundwater at all times.

The Authority may impose a levy of not exceeding Rs. 100/- per annum for every 100 Sq. c) m. of built up area for the failure of the owner of any building mentioned in the (a) above to



#### SCHEDULE

#### **RAIN WATER HARVESTING**

Rain Water Harvesting in a building includes storage or recharging into ground of rain water falling on the terrace or any paved or unpaved surface within the building site.

- The following systems may be adopted for harvesting the rain water drain from the terrace and the paved surface.
  - Open Well of a minimum 1.00 mt. dia. And 6 mt. in depth into which rain water may be channelled and allowed after filtration for removing silt and floating material. The well shall be provided with ventilating covers. The water from the open well may be used for nonpotable domestic purposes such as washing, flushing and for watering the garden etc.
  - Rain water harvesting for recharge of ground water may be done through a bore well around which a pit of one metre width may be excavated up to a depth of at least 3.00 mt. and refilled with stone aggregate and sand. The filtered rain water may be channelled to the refilled pit for recharging the bore well.

An impervious surface funderground storage tank of required capacity may be constructed in the sets to or other open space and the rain water may be channelled to the storage tank. This corage tank thail always be provided with ventilating covers and shall have drawn off the storage tank that the sets that th

storage t

- be an use thin water more programal for each or into a pure hirological description of the recent of pits and renches. Descripting on the geometric and topographical condition, the pits may blink the specific son wide X is a realist in X 2 mt. to 2.5 mt. depth. The trenches can be of 0.6 mt. width X 2 to 6mt. length X 1.5 to 2 mtdepth. Jestace water shall be channelled to pits or trenches. Such pits or trenches shall be back filled with filter media comprising the following materials.
  - a) 40 mm stone aggregate as bottom layer up to 50% of the depth.
  - b) 20 mm stone aggregate as lower middle layer up to 20% of the depth.
  - Coarse sand as upper middle layer up to 20% of the depth.

osesi

d) A thin layer of fine sand as top layer.

d such other

- e) Top 10% of the pits/trenches will be empty and a splash is to be provided in this portion in such a way that roof top water falls on the splash pad.
- f) Brick masonry is to be constructed on the exposed surface of pits/trenches and the cement mortar plastered.
  - The depth of wall below ground shall be such that the wall prevents lose soil entering into pits/trenches. The projection of the wall above ground shall at least be

Page 9 of 10

- Perforated concrete slabs shall be provided on the pits/trenches.
- v) If the open space surrounding the building is not paved, the top layer up to a sufficient depth shall be removed and refilled with course sand to allow percolation of rain water into ground.
- 2. The terrace shall be connected to the open well/bore well/storage tank/ recharge pit/trench by means of HDPE/pvc pipes through filter media. A valve system shall be provided to enable the first washings from roof or terrace catchment, as they would contain undesirable dirt. The mouths of all pipes and opening shall be covered with mosquito (insect) proof wire net. For the efficient discharge of rain water, there shall be at least two rain water pipes of 100mm dia. mt. for a roof area of 100 sq.mt.
- Rain water harvesting structures shall be sited as not to endanger the stability of building or earthwork. The structures shall be designed such that no dampness is caused in any part of the walls or foundation of the building or those of an adjacent building.
- 4. The water so collected/recharged shall as far as possible be used for non-drinking and noncooking purpose.

Provided that when the rain water in exceptional circumstances will be utilized for drinking and/or cooking purpose. It shall be ensured that proper filter arrangement and the separate outlet for by passing the last rain-water has been provided:

Provided to the that it will be ensured that for such use proper districtants and the water purity and provided the control of the water purity and the control of the cont