

FIRST FLOOR PLAN
(SCALE 1:100)

SECOND FLOOR PLAN
(SCALE 1:100)

APPROVAL STAMP OF CIDCO

SANITARY REQUIREMENT

FLOOR	NO. OF TOILET PROV.	NO. OF BATH PROVIDED	NO. OF WC PROVIDED
GROUND FLOOR	02	02	02
2ND TO 14TH FLR.	02	02	02

WATER TANK CALCULATION

FLATS = 67 X 95 & 250 LTS. X 1.50	=	1,00,500 LTS.
SHOP = 13 X 60 & 80 LTS. X 1.50	=	4,680 LTS.
TOTAL REQUIRED U.G. TANK FOR DOMESTIC USE	=	60,360 LTS.
TOTAL PROPOSED U.G. TANK FOR DOMESTIC USE	=	60,675 LTS.
TOTAL REQUIRED U.G. TANK FOR COMM USE	=	2,808 LTS.
TOTAL PROPOSED U.G. TANK FOR COMM USE	=	3,000 LTS.
TOTAL REQUIRED U.G. TANK FOR F.F USE	=	1,00,500 LTS.
TOTAL PROPOSED U.G. TANK FOR F.F USE	=	1,00,500 LTS.
TOTAL REQUIRED O.H. TANK FOR DOMESTIC USE	=	40,200 LTS.
TOTAL PROPOSED O.H. TANK FOR DOMESTIC USE	=	40,700 LTS.
TOTAL REQUIRED O.H. TANK FOR COMM USE	=	1,872 LTS.
TOTAL PROPOSED O.H. TANK FOR COMM USE	=	2,256 LTS.
TOTAL REQUIRED O.H. TANK FOR FIREFIGHTING USE	=	25,000 LTS.
TOTAL PROPOSED O.H. TANK FOR FIREFIGHTING USE	=	25,000 LTS.

DOORS & WINDOW SCHEDULE

TYPE	SIZE	DESCRIPTION
D	1.00 X 2.10	T.W. FLUSH DOOR
D1	0.90 X 2.10	T.W. PANELLING DOOR
D2	0.75 X 2.10	SWING DOOR
W	2.10 X 1.80	AL. FR. GLAZED WINDOW
W1	1.80 X 1.80	AL. FR. GLAZED WINDOW
W2	1.20 X 1.80	AL. FR. GLAZED WINDOW
W3	2.10 X 1.20	AL. FR. GLAZED WINDOW
W4	1.80 X 1.20	AL. FR. GLAZED WINDOW
W5	1.20 X 1.20	AL. FR. GLAZED WINDOW
V	0.60 X 0.60	LOUVERED VENTILATOR

LIGHT & VENTILATION STATEMENT

ROOM	CARPET AREA	L/V REQD.	WHICH	V/V PROV.	TYPE
LIVING	12.00	2.00m		3.60	W
W.C.	2.10	1.40		0.70	W1
BEDROOM	9.45	1.58		3.60	W
KITCHEN	5.12	0.85		3.60	W2
BATH	2.40	0.40		0.60	V
W.C.	2.00	0.33		0.60	V

NAME & SIGNATURE OF OWNER

(M/S SURYAKIRAN ENTERPRISES)

NAME & SIGNATURE OF ARCHITECT

(SHRI.ARIF H. PUNJABI)

DESCRIPTION OF PROPOSAL

PROPOSED RESIDENTIAL BUILDING ON PLOT NO.-82 SECTOR 26, TALOJA, NAVI MUMBAI. (12.5% SCHEME)

FASCINATE ARCHITECTS
ARCHITECTS & INTERIOR DESIGNERS