प्रदाराष्ट्र गरनिर्पाण व श्रेत्रविकास पाधिकरण

YTEROHITLA TRE



Building Permission Cell, Greater Mumbai / MHADA (A designated Planning Authority for MHADA layouts constituted as ner government

regulation No. TPB4315/167/CR-51/2015/UD-11 dt.23 May, 2018.) INTIMATION OF APPROVAL (IOA) FOR ZERO FSI

> No.EE/BP Cell/GM/MHADA-25 / 2.6/. / 2019 Dated: 9 APR 2019

To.

M/s. S3 Formeet Realtors LLP. C.A. to owner Tilak Nagar Manisha Vishnu C.H.S.L.

Sanghvi S3 Group, S3 level, 7th floor,

9 Hazarimal Somani Marg, Near CSMT station, Fort Mumbai - 400 001

Sub:- Pronosed redevelopment of existing building no. 118 on plot bearing C.T.S. No. 1832(nt), of Villago Chembur, at Tilak Nagar MHADA layout, Chembur (West), Murobai- 400 039

Ref:- 1.Govt.of Maharashtra Notification No.TPB-4317/629/CR-51/2015/UD-11 Del 23/05/2018

Application of Architect dated 30/03/2019.

Dear Applicant. With reference to your Notice U/S 45 (1) (ii) of MRTP Act 1966 submitted with letter No. 705 dtd, 11/02/2019, and delivered to MHADA on 12/02/2019, and the plans. Sections Specifications and Description and further particulars and details of your Proposed Redevelopment of Existing building no. 118 known as Tilak Napar Manisha Vishnu CHSL on plot bearing CTS no. 1832 (pt), of village Chembur, At Tilak Nagar, Chembur (west), Mumbai- 400089 furnished to this office under your letter, dated 30/03/2019, I have to inform you that I may approve the building or work proposed to be erected or executed, and I therefore hereby formally intimate to you U/S 45 (1) (ii) of MRTP Act 1966 as amended upto date, my IOA approval for "ZERG FSI" by reasons thereof subject to fulfillment of conditions mentioned as ander :-





A: CONDITIONS TO BE COMPILED WITH BEFORE STARTING THE WORK.

- 1. That the commencement certificate U/s-44/69(1) of MRTP Act shall be obtained.
- That structural Engineer shall be appointed and supervision memo of as per appendix- IX of D.C. Regulation – 5(3) (9) shall be submitted by him.
- The structural Design and calculations for the proposed work accounting for system analysis as relevant IS code along with Plan shall be submitted before C.C.
 Annata Insurance Policy shall be submitted.
- Requisitions of clause 45 & 46 of DCR 91 shall be complied with and records of quality of work, verification report, etc. shall be maintained on site till completion of the entire work.
 - Bore well shall be constructed in consultation with H.E./MCGM.
- That the work shall be carried out between 6.00 a.m. to 10.00 p.m. as per circular u/no. CHE/DP/7749/GEN dt.07.06.2016.
- Information Board shall be displayed showing details of proposed work, name of owner, developer, architect/LS, R.C.C. consultant etc.
- Necessary deposit for erection/display of hording or the flex of size _____ m to m for the advertisement of proposal shall be made.
 - 10. That the owner shall undertake that he will be abide by DCPR 2034 and will process the said proposal as per DCPR 2034 or as per demand raised by authorities or advised by authorities.
 11. Undertakine Shall be submitted that NOC from Electric Supply Agency required
 - Undertaking Shall be submitted that NOC from Electric supply Agency required for High tension transmission line Will be Submitted Before Further CC Beyond Plinth.

This IOA for Zero FSI is valid for 1 year i.e. upto 0 8 APR 2020

(Rajcev Sheth)

Executive Engineer/B.P. Cell
Greater Mumbai/MHADA.

Copy submitted for information please.

1) The Hon'ble Chief Officer/M.B. For information

2) The Architect/ Lavout Cell/ M.B., for information

A set of approved plan for information and necessary action please.

Copy with plan to: 1) Asst. Commissioner 'M' Ward (MCGM)

2) A.A. & C. 'M' Ward (MCGM)

3) A.E.W.W. 'M' Ward (MCGM) 4) Architect Shri, Sachin K. Rakshe of M/s. Archo Consultant.

> Executive Engineer/B.P. Cell Greater Mumbai/MHADA

SPECIAL INSTRUCTIONS

- THIS INTIMATION GIVES NO RIGHT TO BUILD UPON GROUND WHICH IS NOT YOUR PROPERTY.
- Tevery person who shall erect as new domestic building shall cause the same to be built so that every part of the plinth shall be
 - a. Not less than, 2 feet (60 cms.) above the center of the adjoining street at the nearest point at which the drain from such building can be connected with the sewer than existing or thereafter to be-laid in such street.
 - Not less than 2 feet (60 cms.) Above every portion of the ground within
 feet (160 cms.)-of such building.
 - c. Not less than 92 ft.(Town Hall) above Town Hall Datum.
- 3. Your attention in invited in the provision of Section 152 of the Act where by the person linkle to pay properly taxes in required to give notice of section of several new building or ecocopium, of building which has been vesualt, to the Commissioner, within fifteen days of the completion or of the ecocaption which they come to the completion or of the ecocaption which they come to the control of the ecocaption of the
- 4. Your attention is further drawn to the provision about the necessity of submitting occupation certificate with a view to enable the V.P. & C.E.O./ MHADA to inspect your premises and to grant a permission before occupation and to levy penalty for non-compliance if necessary.
- Proposed date of commencement of work should be communicated.
- One more copy of the block plan should be submitted for the Collector, Mumbai Suburbs District.

Attention is drawn to the notes accompanying this Intimation of Approval.



NOTES

- 1. The work should not be started unless objections are complied with.
- A certified set of latest approved plans shall be displayed on site at the time of commencement the work and during the progress of the construction work.
- 3. Temporary permission on payment of deposit should be obtained any shed to house and store for construction purpose, Residence of workmen shall not be allowed on site. The temporary structures for storing constructional material shall be demolshed before submission of building completion certificate and certificate signed by Archiecet submissed along with the building completion certificate.
 - Temporary sanitary accommodation on full flushing system with necessary drainage arrangement should be provided on site workers, before starting the work.
- Water connection for constructional purpose from MHADA mains shall not be taken without approval from concerned Executive Engineer of Mumbai Board.
- 6. The owners shall intinuous the Hydradic Engineer or his representative in Wards of learn I done years to the action of which the proposed consumerion works in taken in hand that the water existing in the compound will be utilized for their construction works and they will not use any Municipal Water for construction purpose: Falling fini, a will be persumed that Municipal that years the above consumed to the construction works and bills preferred against them accordingly.
- 7. The hoading or screen wall for supporting the depost of building materials shall be constructed before starting any work even though no materials may be expected to be stabled in foots of the property. The scaffoldings, bricks ment, sand props debris, etc. alousá not be deposited over footpaths or Public Street by the owner/ architect Arbeir contractors, etc without obtaining prior termission from the Wart Officer of the area.





- The work above plinth should not be started before the same is shown to this
 office Sectional Engineer/Assistant Engineer concerned and acknowledgement
 obtained from him regarding correctness of the open spaces & dimensions.
- The application for sewer street connections, if necessary, should be made simultaneously with commencement of the work as the Municipal Corporation will require time to consider alternative site to avoid the excavation of the road an footnotion.
 - 10.All the terms and condition of the approved layout /sub-division under No. of should be adhered to and complied with.
- 11. The compound wall or fencing should be constructed clear of the road widening line with foundation below level of bottom of road side drain without obstructing flow of rain water from adjoining holding before starting the ways to prove the country's helding.
- No work should be starten uniess the existing structures proposed to be demoisshed are demolished.
- 13.The Instantion of Approva's fayers exclusively for the purpose of enabling you to proceeds informer with the attaignments of obtaining No Objection Certificate from the Competent Authorities and in the event of your proceeding with the west other without an intination about commencing the work review of the proceeding with the west of the without an intination about commencing the work without moving the structure proposed to be resource site set shall be taken as a severe breach of the conditions under which this intination of Approval is round and the anneticated with the revoked and the commencement certificate granted under Section 45 of the Muhamsidan Regional and Town Planning Act 1966, (12 of the Town Planning Act, 19th the whildraws.)
- 14.The bottom of the over head storage work above the finished level of the terrace shall not be less than 1.20 Mt. and not more than 1.80 mt.
- 15.1s is to be understood that the foundations must be excavated down to hard soil.

- 16. The positions of the nahanis and other appurtenances in the building should be so arranged as not to necessitate the laying of drains inside the building.
- The water arrangement to be carried out in strict accordance with the Municipal requirements.
 - 18.No new well, tank, pond, cistem or fountain shall be dug or constructed without the previous permission in writing of the VP/CEO/MHADA.
 - 19.All guis traps and copin cleaned durins shall be provided with right fitting mosquite prior made of securgit tran plant or rhings. The mushboot of all citatents shall be covered with a properly fitting mosquite prior hinged earl tran cap over in one piece, with locking arrangement provided with a holt and hauge acreased on highly serving the purpose of lock and the warning period of the right service with such zero and non-hosp period. But a grade must root with coper pipes with perfeccions each one exceeding 1.5 mm in diameter. The citizens that he wards easily, safely and permanente must root with coper pipes with perfeccions each one exceeding 1.5 mm in diameter. The citizens that he wade easily, safely and permanente first the provider of the period of the citizens and the restriction of the citizens and the period of the p
 - No bre'ten bottles should be fixed over boundary walls. This prohibition refers only to broken bottles to not to the use of plane glass for coping over compound wall.
 - 21. Louves should be provided as required by Bye law No. 5 (b)b. Lintels or Arches should be provided over Door and Windows opening c. The drains should be laid as require under Section 234-1(a)/d. The inspection chamber should be risstered inside and outside.

