

# SLUM REHABILITATION AUTHORITY

Administrative Building, Pr. Ananat Kanekar Marg, Bandra (East), Mumbai - 400 051,

Intimation of Approval under Sub regulation 2.3 of Appendix – IV of D.C.R. No. 33 (10) Dt. 15.10.97 for Brihanmumbal.

No. SRA / ENG / 2942 / N/PL & ML /AP 20 JUN 2015

SALE BLDG. NO. 1

<u>ō</u>,

M/s. Ratan Builders,

32, Kika Street, Gulalwadi, Mumbai-400 004.

and details of your building at on 97/09/2012 20 and the plans, Sections, Specifications and Description and further particulars Ghatkopar (W), Mumbai. 3999(pt.), With reference to your Notice, letter No. 4000, 4001, 4002(pt.) & 4002A of village Ghatkopar Kirol, CIS No.3996(pt.), 2851 3997(pt.), dated 05/09/2012 and delivered 3998(pt.

following conditions: of construction of the building or work proposed to be erected or executed is hereby approved under section 45 of the Maharashtra Regional & Town Planning Act, 1966 as amended up-to-date, subject to the furnished to me under your letter, dated 07/09/2012 20 I have to inform you that the proposal

- A. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE COMMENCEMENT OF THE WORK UPTO PLINTH LEVEL
- A. 1) That the Commencement Certificate us/. 44/69 (1) of the MR & TP Act, Shall be obtained before starting the proposed work.
- A.2) That the compound shall be constructed, after getting the plot demarcated from the concerned Regulation No. 38 (27) from the adjoining holding, to prove possession of holding before starting the work as per D.C. authority, on all sides of the plot clear of the road side drain without obstructing the flow of rain water
- A.3) That the structural Engineer shall be appointed, and the Supervision memo as per Appendix XI D.C. Regulation 5(3) (ix) shall be submitted by him.
- A.4) That the Structural design and calculations for the proposed work accounting for system analysis as per relevant I.S. code along with plan shall be submitted before C.C.

meet by requirements. You will be at liberty to proceed with the said building or work at anytime before the the said Act as amended as aforesaid or any rule, regulations of bye-law made under that Act at the time Subject to your so modifying your intention as to comply the aforesaid mentioned conditions and 20 but not so as to contravene any of the provisions of

Your attention is drawn to the special Instructions and Notes accompanying this Intimation of Approval

Executive Engineer, (S.R.A.)

## SPECIAL INSTRUCTIONS

- $\Xi$ IN CASE OF PRIVATE PLOTS THIS INTIMATION OF APPROVAL GIVES NO RIGHT TO BUILD UPON LAND WHICH IS NOT YOUR PROPERTY.
- $\mathfrak{D}$ conferred and imposed upon and vested in the C.E.O. (S.R.A.) by section of the said Act. Officer, Slum Rehabilitation Authority has empowered the Chief Engineer (S.R.A.)/ Under Section 151 & 152 of M.R & T.P. Act 1966, as amended the Chief Executive Executive Engineer (S.R.A.) to exercise, perform and discharge the powers, duties and functions
- (<u>3</u>) Proposed date of commencement of work should be communicated to this office
- 4 Mumbai Suburbs District as the case may be. more copy of the block plan should be submitted to the Collector, Mumbai /
- 5 Collector, Mumbai / Mumbai Suburban District before the work is started. The Non-agricultural assessment shall be paid at the rate that may be fixed by the Collector, under the Land Revenue Code and Rules thereunder. Necessary permission for Non-agricultural use of the land shall be obtained from the

Attention is drawn to the notes Accompanying this Intimation of Approval.



- 5 surrounding ground level or in areas subject to flooding the height of plinth shall be at least 60 cm. above the high flood level. That the minimum plinth height shall be 30 cm. above the
- 7 6) That the internal drainage layout shall be submitted & got approved That the low lying plot shall be filled up to a reduced level of atleast 92 T.H.D. or 15 cm. above adjoining road level whichever is higher with murum, earth, boulders etc. and shall be leveled, rolled, consolidated and sloped towards road.
- <u>∞</u> That the existing structure proposed to be demolished shall be be executed in accordance with the approved drainage layout. from concerned Asst. Engineer (SRA) and the drainage work shall

demolished with necessary phase program by executing agreement

with eligible slum dwellers.

- 9 construction work carried out at various stages of the work. That the Registered site supervisor through Architects/Structural Engineer shall be appointed before applying for C.C. & quarterly report from the site supervisor shall be submitted through the Architect/Structural Engineer certifying the quality of the
- 10) the same shall be intimated to this office. the same shall be revalidated time to time. And the compliance of unless labour insurance is taken out for the concerned labours and That no construction work shall be allowed to start on the site
- 11) That the Registered Undertaking from shall be submitted for the following the Developer and Society
- i) Not misusing part/pocket terrace.
- ii) Not misusing stilt.
- iii) Not misusing basement area.
- iii) Not misusing Refuge Area.
- iv) Not misusing Inner Chowk/Voids
- ۷ permissible F.S Demolish the excess area ij constructed beyond
- Ţ. Handing over setback land free of compensation alongwith the plan.
- 12) That the Structural designs and the workmanship Regulation 45 of amended DCR 1991. shall be strictly as per quality of conditions materials and laid down

- 13) That you shall submit remarks from Asst. Commissioner of 'N' ward /Insecticide Officer for closing/covering of well in the S.R. Scheme.
- 14) That you shall submit the NOC's as applicable from the following concerned authority in the office of Slum Rehabilitation Authority at a stage at which it is insisted upon by the concerned Executive Engineer (SRA).

Before Plinth C.C.	CFO	13
Before Plinth C.C.	E.E. (T & C) of MCGM for Parking Layout	12
	Puzzle Parking System.	
bldg.	Ventilation System & Mechanical	
Before Further CC/ OCC	Ch.Eng.(M & E) of MCGM for Light &	11
Before Plinth C.C.	Civil Aviation Authority	10
Before OCC of Sale bldg.	NOC's from MTNL- Mumbai regarding required area & location for installation of telephone concentrators room.	9
	Concerned Electric Supply Co.	
Before Further C.C.	BEST/TATA/Reliance Energy /MSEB	00
Before Plinth C.C.	P.C.O. N-Ward.	7
Before Plinth C.C.	Dy. Ch. Eng.(Roads) E.S.	6
Before Plinth C.C.	Dy.Ch.Eng.(S.P.) (P & D)	ĆΊ
Before Plinth C.C.	Regarding Training of Nalla	
Before Further C.C.	Dy. Ch. Eng. (SWD)E.S./Dy.Ch.Eng. (S.W.D.) Pl. Cell. Regarding Internal SWD	4
Before Plinth C.C.		ω
Before Plinth C.C.	H.E. of MCGM	2
Before Plinth C.C. of Sale Bldg.	A.A & C 'N' Ward	1
Stage of Compliance	NOC's	No.

- 15) That you shall submit the Registered Undertaking from the Developer for not misusing pocket terrace & Part terrace before granting C.C. to the bldg. under reference.
- 16) supervision of Architect and licensed Site Supervisor. done under supervision of registered Structural Engineer as per all That the design and construction of the proposed building will be relevant I.S. Codes including seismic loads as well as under the
- 16) That you shall appoint Project Management Consultant with prior approval of Dy.Ch.Eng.(SRA)
- 17) That you shall appoint Third Party Quality Auditor approval of Dy.Ch.Eng.(SRA) with prior
- 18) That the structural design & calculations submitted by the Reg. Structural Engineer shall be got peer reviewed from another Registered Structural Engineer.
- 19) That the Registered Undertaking as per para (3) & (6) of circular issued by MCGM U/no. ChE/002456/DP/Gen dtd. 06/04/2015 shall be submitted before issue of IOA of Sale Building No.1.

## Ä THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE FURTHER C.C. OF SUPER STRUCTURE: -

- 1) same shall be got checked, verified & certified from the concerned Sub Engineer (SRA). That a plan showing the dimensions of the plinth and the available spaces certified by the Architect shall be submitted and the
- <u>2</u>2 Engineer. level/stilt stability certificate level shall be su submitted for work carried out upto plinth tted from the Lic. Structural
- $\omega$ That the shall be submitted by Architect along with test result. monitored Consultant. The periodical report as regards to the quality of work Engineer, Third Party Quality Auditor and quality of construction work of bldg. shall be strictly ф concerned Architect, Site supervisor, Project Management Structural

#### Ç PROPOSED BUILDING. BEFORE GRANTING O.C. THE FOLLOWING CONDITIONS TO SHALL ANY I PART OF THE

- 1 That all the conditions of Letter of Intent shall be complied with before asking for occupation certificate of sale/composite building.
- 2 That the Building Completion Certificate in certifying work carried out as per specification shall be submitted  $\frac{1}{3}$ prescribed Performa

- $\omega$ That some of the drains shall be laid internally with C.I. pipes.
- 4 including providing streetlights as per the remarks/specifications of MCGM. And submit the completion certificate from E.E. (Roads)ES, as per the remarks. That you shall developed the layout access/D.P. Road/setback land
- 5) That the dustbin shall be provided as per requirement.
- 6 requesting occupation. charges if That carriage entrance over existing SWD shall be provided and any for the same shall be paid to MCGM before
- 7 That the surface drainage arrangement shall be provided in consultation with E.E. (SWD)ES as per the remarks and a completion certificate shall be obtained and submitted before requesting for occupation certificate/B.C.C.
- 8 occupation permission. concerned electric Supply Co. shall be complied with before asking requirements from the M.T.N.L./ Reliance
- 9 That the Architect shall submit the debris removal certificate before requesting for occupation permission.
- 10) That 10'-0" wide paved pathway up to staircase shall be provided
- 11) That the surrounding open spaces, parking spaces and terrace shall be kept open and unbuilt upon and shall be levelled and developed before requesting to grant permission to occupy the building or submitted the B.C.C. whichever is earlier.
- 12) That the name plate/board showing Plot No., Name of the Bldg. etc. shall be displayed at a prominent place.
- 13) That the N.O.C. from Inspector of Lifts, P.W.D. Maharashtra, shall be obtained and submitted to this office.
- 14) That the drainage completion Certificate from E.E. (S.P.)P&D for provision of septic tank/soak pit/STP shall be submitted.
- 15) Performa 'D' along with the final plan mounted on canvas shall be That stability Certificate from Structural Engineer in prescribed submitted.
- 16) That the single P.R. cards for the amalgamated plot shall be
- 17) That layout R.G. shall be developed as approved by SRA.

- 18) That the N.O.C. from the A.A. & C. 'N' Ward shall be obtained and the requisitions, if any shall be complied with before O.C.C.
- 19) shall be submitted in duplicate before submitting BCC That the list of slum dwellers to be accommodated in the building
- 20) That completion certificate from C.F.O. shall be submitted
- 21) the approved layout. That you shall submit P.R. Card and CTS plan thereby clearly earmarking the rehab plot and sale plot and built up area as per shall submit P.R. Card and CTS
- 22) That the parking shall be submitted. completion certificate from E E (T&C) of MCGM for
- 23) That the completion certificate from Ch. be submitted That the completion certificate from Ch. Eng. (M&E) of MCGM for Ventilation/Stack parking/Mechanical Puzzle Parking System shall (M&E) of MCGM for
- 24) That the completion certificate from Tree Authority of MCGM shall be submitted
- 25) That you shall submit the receipt for handing over of buildable non-buildable reservations before requesting full OCC of sale bldg.
- 26) That the Rain Water Harvesting system should be installed/provided as per the direction of U.D.D. Govt. of Maharashtra under No. TPB/432001/2133/CR-230/01/UD-11 dtd. 10/03/2005 and the same shall be maintained in good working conditions all the time, failing which penalty of Rs. 1000/- per annum for every 100 sq.mt. of built-up area shall be levied.

#### D. WITH BEFORE B.C.C THE FOLLOWING CONDITIONS SHALL BE COMPLIED

- 1 from H.E.'s department regarding adequacy of water supply. That certificate under Section 270A of B.M.C. Act. shall be obtained
- 2 That you shall have to maintain the rehab building for a period of 3 years from the date of granting occupation to the rehab bldg.
- $\omega$ Composite building. date of issue such as water pumps, lifts, etc. That you shall have to maintain the electro mechanical systems of Occupation Certificate to the Rehabilitation for a period of ten years from the
- 4 That the Society Office shall be handed over to the society of flat purchasers within 30 days from the date of issue of OCC of Sale Building No.1.

#### NOTES:

- That C.C. for sale building shall be controlled in a phasewise manner as decided by CEO (SRA) in proportion with the actual work of rehabilitation component as per Circular No. 98 & 104.
- 2 That no occupation permission of any of the sale wing/sale building/sale area shall be considered until Occupation Certificate for equivalent Rehabilitation area is granted.
- ω That Hon.CEO (SRA) reserves the right to add or amend or delete any of the above or all the above mentioned conditions if required, during execution of Slum Rehabilitation Scheme.

Executive Engineer (E.S.)
Slum Rehabilitation Authority

at

#### NOTES

- $\exists$ The work should not be started unless objections are complied with.
- <u>(N</u> of the work and during the progress of the construction work. A certified set of latest approved plans shall be displayed on site at the time of commencement
- ω store for constructional purposes, Residence of workmen shall not be allowed on site. Temporary permission on payment of deposit should be obtained for any shed to house and building completion certificate. of building completion certificate and a certificate signed by Architect submitted alongwith the temporary structures for storing constructional materials shall be demolished before submission
- 4 should be provided on site for workers, before starting the work. Temporary sanitary accommodation on full flushing system with necessary drainage arrangement
- (5) Water connection for constructional purposes will not be given untill the hoarding is constructed and application is made to the Ward Officer of M.C.G.M. with the required deposit for the construction of carriage entrance, over the road side draln. untill the
- 6) will be presumed that Municipal tap water has been consumed on the construction works and bills preferred against them accordingly. works and they will not use any Municipal Water for construction purposes. Failing this, it taken in hand that the water existing in the compound will be utilised for their construction of M.C.G.M. atleast 15 days prior to the date of which the proposed construction work is The owners shall intimate the Hydraulic Engineer of M.C.G.M. or his representative in wards
- 3 constructed before starting any work even though no materials may be expected to be stabled in front of the property. The scaffoldings, bricks, metal, sand, preps, debris etc. should not be deposited over footpaths or public street by the owner/architect/their contractors, etc. without obtaining prior permission from the Ward Officer of the area. or screen wall for supporting the depots of building materials shall be
- 8 The work should not be started unless the compliance of abovesaid conditions is approved
- 9 No work should be started unless the structural design is submitted from LSE
- (<del>1</del>0) The work above plinth should not be started before the same is shown to this office Subof the open spaces dimension. Engineer (SRA) concerned and acknowldgement obtained from him regarding correctness
- (11)The application for sewer street connections, if necessary, should be made simultaneously time to consider alternative site to avoid the excavation of the road and footpath. commencement of the work as the Municipal Corporation of Greater Mumbai will require
- (12)All the terms and conditions of the approved layout/sub-division/Amalgamation under No. SCA JENE 1645 (NO. SCA) SCOULD be adhered to and complied with.
- (13) (except for the construction purposes) unless road is constructed to the satisfaction of the concerned Ex. Engineer of M.C.G.M. and as per the terms and conditions for sanction to No building/Drainage Completion Certificate will be accepted and water connection granted
- (14) Recreation ground or amenity open space should be developed before submission of building Completion Certificate.
- (15)M.C.G.M. including asphalting, lighting and drainage before submission of the building The access road to the full width shall be constructed in water bound macadam before commencing work and should be complete to the satisfaction of concerned. Ex-Engineer of
- (16)Flow of water through adjoining holding or culvert, if any should be maintained unobstructed
- (7) broken glass pieces at the rate of 0.125 cubic metres per 10 Sq.Mtrs below pavement. The surrounding open spaces around the building should be consolidated in concrete having

- (18) The compound wall or fencing should be constructed clear of the road widening line with foundation below level of the bottom of road side drain without obstructing flow of rain water from adjoining holding before starting the work to prove the owner's holding.
- (19)No work should be started unless the existing structures or proposed to be demolished are demolished
- (20) If it is proposed to demolish the existing structures by negotiations with the tenants, under the circumstances, the work as per approved plans should not be taken up in hand unless the Chief Engineer [SRA] is satisfied with the following:
- $\Rightarrow$ Specific plans in respect of evicting or rehousing the existing tenants on your plot stating their number and the area in occupation of each.
- $\equiv$ Specifically signed agreement between you and the existing tenants that they are willing to avail for the alternative accomodation in the proposed structure.
- 3 Control Rules regarding open spaces, light and ventilation of existing structure before starting the work so as not to contravene at any stage of construction, the Development Plans showing the phase programme of construction has to be duly approved by this office
- (21) In case of additional floor no work should be started during monsoon which will give rise to water leakage and consequent nuisance to the tenants staying on the floor below.
- (22)be more than 1 metre The bottom of the over head storage work above the finished level of the terrace shall not
- (23) The work should not be started above first floor level unless the No Objection Certificate from the Civil Aviation Authorities, where necessary, is obtained.
- (24) It is to be understood that the foundations must be excavated down to hard soil.
- (25)as not to necessitate the laying of drains inside the building. The positions of the nahanis and other appurtenances in the building should be so arranged
- (26)No new well, tank, pond, cistern or fountain shall be dug or constructed without the previous permission in writing from the Chief Executive Officer of Slum Rehabilitation Authority.
- (27) as per relevant I. S. specifications. All gully traps and open channel shall be provided with right fitting mosquito proof covers
- (28) No broken bottle should be fixed over boundary walls. The prohibition refers only to broken bottles & not to the use of plains glass for coping over compound wall.
- (29) If the proposed addition is intended to be carried out on old foundations and structures, you will do so at your own risk.

Executive Engineers, (S.R.A.) 45



Date : [ 3 MAY 201]

To, Shri Samoon F. Rassiwala (L.S.) M/s. Samoon & Associates. 8A, 3<sup>rd</sup> floor, New Sethna Building, 214/218, Princess Street, Opp. Wadia fire temple, Mumbai - 400 002

Sub: Amended Plans of Sale building No. 1 in the S.R. Scheme on plot bearing C.T.S. Nos. 3996(pt), 3997(pt), 3998(pt), 3999(pt), 4000, 4001, 4002(pt) & 4002A of Village Ghatkopar Kirol, Ghatkopar (W), Mumbai 400 086, for "Sadbhavana (SRA) CHS Ltd." & "New Trimurti (SRA) CHS Ltd."

Ref: 1. Your Letter No. 0607A/SRA/SB-1/17 dtd. 16/05/2016

2. Revised LOI approved on 18/04/2017 and issued under No. SRA/ENG/1778/N/PL/LOI & SRA/ENG/2219/N/PL & MCGM /LOI on 21/04/2017

Sir,

With reference to above the amended plans of Sale building No.1 submitted by you are hereby approved by this office subject to following conditions;

- That the conditions of IOA under No. SRA/ENG/2942/N/PL&ML/AP dtd. 20/06/2015 shall be complied with.
- 2. That the conditions of revised LOI under No. SRA/ENG/1778/N/PL/LOI & SRA/ENG/2219/N/PL & MCGM/LOI dtd. 21/04/2017 shall be complied with.
- 3. That you shall delete the name of Smt. Fatimabai Abdulla & Smt. Jainbai Umar Mandviwala shown as Other Rights (Imla Malak) on PRC of CTS No. 3996 and fresh PRC to that effect shall be submitted before asking C.C. to last 25% Sale BUA in the scheme.

- 4. That the revised Design & Calculation from Reg. Structural Engineer shall be submitted before re-endorsement of Plinth C.C.
- 5. That you shall obtain revised Drainage Approval as per the amended plans.
- 6. That you shall submit revised CFO NOC as per the amended plans.
- 7. That you shall obtain demarcation of reconstituted plot boundary before asking C.C. to Sale building No.2.

One set of amended plan is returned herewith as token of approval

Yours faithfully,


-Sd-

Executive Engineer-III Slum Rehabilitation Authority

#### Copy to:

- 1. M/s. Ratan Builders.
- 2. Asstt. M.C. N-Ward
- 3. A.E.(W.W.) N-Ward
- 4. A.A. & C. N-Ward

Executive Engineer-III
Slum Rehabilitation Authority



---represent the beautiful to the control of the Discount of the path companies AT ANY ADD

THE REAL PROPERTY AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE PARTY ADDRESS OF THE PARTY AND ADDRESS A STATE OF THE PARTY OF THE PAR COLUMN TO A SECOND TO

ARS THE WAY IN LINE TO SERVE

Partition Bis 20% D. Santa



The Real Property of the last live of th

The Party of the last

