



PANVEL MUNICIPAL CORPORATION

Tal- Panvel, Dist – Raigad, Panvel – 410 206.

E mail – panvelcorporation@gmail.com

Tel – (022) 27458040/41/42

NO.2018/PMC/TP/BP/6364/2018

Date : 15 / 6 / 2018

To,

Mr. Bhanuprasad Chourasiya,
M/s. H. B. Realty Through its
Partner Mr. Hiren Sanghavi,
Survey No- 130/0, Taloja Majkur,
Tal- Panvel, Dist- Raigad.

SUB :- Development Permission for Residential Cum Commercial Building on Survey No. 130/0,
Taloja Majkur, Tal. Panvel, Dist. Raigad.

REF:- 1) Your Architect's application no. 8329, dated 25/04/2018.
2) तहसिलदार, पनवेल यांचे पत्र क्र. जमिनबाब/काल-१/११५३/२०१८, दि. ३१.०५.२०१८.
3) Height Clearance NOC. NAVI/WEST/B/022218/282583, Dt. 22.02.2018.

Sir,

Please refer to your application for development permission for Residential Cum Commercial Building on Survey No. 130/0, Taloja Majkur, Panvel.

The development permission is hereby granted to construct Residential Cum Commercial Building on the plot mentioned above.

The Developers / Builders shall take all precautionary measures for prevention of Malaria breeding during the construction period of the project. If required, you can approach Health Department PMC, for orientation program and pest control at project site to avoid epidemic.

You have to pay the necessary charges due to GST if applicable in future as per Panvel Municipal Corporation policy and as informed to you in writing and if not paid the permission granted will be revoked.

You will ensure that the building materials will not be stacked on the road during the construction period.

Thanking you,




For Municipal Commissioner
Panvel Municipal Corporation

C.C. TO:- Architect,
AN.ARCH Architect & Planner,
Office no- 20 & 21, Raheja Arcade, Sector- 11,
Plot No- 61, CBD, Belapur – 400 614.



PANVEL MUNICIPAL CORPORATION

Tal- Panvel, Dist – Raigad, Panvel – 410 206.

E mail – panvelcorporation@gmail.com

Tel – (022) 27458040/41/42

NO.2018/PMC/TP/BP/6864 /2018

Date : 15 / 6 / 2018

COMMENCEMENT CERTIFICATE

Permission is hereby granted under section – 45 of the Maharashtra Regional and Town Planning Act.1966 (Maharashtra XXXIV) of 1966 to, **MR. BHANUPRASAD CHOURASIYA, M/S. H. B. REALTY THROUGH Its. PARTNER MR. HIREN SANGHAVI** for Survey No- 130/0, Taloja Majkur, Panvel, Dist- Raigad. As per the approved plans and subject to the following conditions for the development work of the Proposed Residential Cum Commercial Building on (Ground + 4 Floors) Residential Built Up Area = 1382.197 sq.mt., Commercial Built up area = 174.638 sq.mt., Total Built up area = 1556.835 sq.mt. & Plot Area = 1570.00 sq.mt.

(Nos. of Residential Units – 48 / Commercial Units - 17)

This Commencement Certificate is valid up to plinth level only. The further order will be given after the plinth is inspected and plinth completion Certificate is issued.

2. This Certificate is liable to be revoked by the Corporation if:-

- 1(a) The development work in respect of which permission is granted under this certificate is not carried out or the use thereof is not in accordance with the Sanctioned plans.
 - 1(b) Any of the conditions subject to which the same is granted or any of the restrictions imposed upon by the corporation is contravened.
 - 1(c) The commissioner is satisfied that the same is obtained by the applicant through fraud or Misrepresentation and the applicant and/or any person deriving title under him, in such an event shall be deemed to have carried out the development work in contravention of section – 43 or 45 of the Maharashtra Regional and Town Planning Act- 1966.
2. The applicant shall:-
- 2(a) Give written notice to the Corporation regarding completion of the work.
 - 2(b) Obtain Occupancy Certificate from the Corporation.
 - 2(c) Permit authorized officers of the Corporation to enter the building or premises for which the permission has been granted, at any time for the purpose of ensuring the building control Regulations and conditions of this certificate.
3. The structural design, building materials, installations, electrical installations etc. shall be in accordance with the provision (except for provision in respect of floor area ratio) as prescribed in the National Building Code or and DCR for A.B.C. class Municipal Council 2013 in force.
4. The Commencement Certificate shall remain valid for period of 1 year from the date of its issue; thereafter revalidation of the same shall be done in accordance with provision of Section – 48 of MRTP Act- 1966 and as per regulations no. 16.1(2) of the DCR for A.B.C. class Municipal Council 2013 in force.
5. The conditions of this certificate shall be binding not only on the applicant but also on its successors and/or every person deriving title through or under him.
6. It is Mandatory to provide Temporary Toilet to labours at site during construction period.

SCHEDULE RAIN WATER HARVESTING

Rain Water Harvesting in a building site include storage or recharging into ground of rain water falling on the terrace or on any paved or unpaved surface within the building site.

1. The following systems may be adopted for harvesting the rain water drawn from terrace and the paved surface.
 - i) Open well of minimum of 1.00 mt, dia and 6.mt. depth into which rain water may be channeled and allowed after filtration for removing silt and floating material. The well shall be provided with ventilating covers. The water from the open well may be used for non-potable domestic purposes such as washing, flushing and for watering the garden etc.
 - ii) Rain water harvesting for recharge of ground water may be done through a bore well around which a pit of one meter width may be excavated upto a depth of at least 3.00 mt. and refilled with stone aggregate and sand, the filtered rain water may be channeled to the refilled pit for recharging the borewell.
 - iii) An impervious surface underground storage tank of required capacity may be construed in the setback or other open space and the rain water may be channeled to the storage tank. The storage tank shall always be provided with ventilating covers and shall have drawn-off taps suitably placed so that the rain water may be drawn off for domestic, washing gardening and such other purposes. The storage tanks shall be provided with an overflow.
 - iv) The surplus rain water after storage may be recharged into ground through percolation pits or trenches or combination of pits and trenches. Depending on the geomorphological and topographical condition, the pits may be of the size of 1.29mt. width x 1.20 mt. depth. The trenches can be of depth. Terrace water shall be channeled to pits or trenches. Such pits or trenches shall be back filled with media comprising the following materials.
 - a) 40 mm stone aggregate as bottom layer upto 50% of the depth.
 - b) 20 mm stone aggregate as lower middle layer upto 50% of the depth.
 - c) Coarse sand as upper middle layer upto 20% of the depth.
 - d) A thin layer of fine sand as top layer.
 - e) Top 10% of the pits/trenches will be empty and a splash is to be provide in this portion in such a way that roof top water falls on the splash pad.
 - f) Brick masonry wall is to be constructed on the exposed surface of pits/trenches and the cement mortar plastered.
The depth of wall below ground shall be such that the wall prevents lose soil entering into pits/trenches. The projection of the wall above ground shall at least be 15 cms.
 - g) Perforated concrete slabs shall be provided on the pits/trenches
 - v) If the open space surrounding the building is not paved, the top layer upto a sufficient depth shall be removed and refilled with course sand to allow percolation of rain water into ground.
2. The terrace shall be connected to the open well / bore well / storage / tank / recharge pit/trench by mean of HDPE/PVC pipes through filter media. A valve system shall be provided to enable the first washings from roof or terrace catchment, as they would contain undesirable dirt. The mouths of all pipes and pipes openings shall be covered with mosquito (insect) proof wire net. For the efficient discharge of rain water, there shall be at least two rain water pipes of 100 mm diameter for a roof area of 100 sq.mt.
3. Rain water harvesting structures shall be sited as not to endanger the stability of building or earthwork. The structures shall be designed such that no dampness is caused in any part of the walls or foundation of the building or those of an adjacent building.
4. The water so collected/recharged shall as far as possible be used for non-drinking and non-cooking purpose. Provided that when the rain water in exceptional circumstances will be utilized for drinking and/or cooking purpose, it shall be ensured that proper filter management and the separate outlet for by passing the first rain- water has been provided.

Provided further that it will be ensured that for such use, proper disinfectants and the water purification arrangements have been made.

