

SLUM REHABILITATION AUTHORITY

Administrative Building, Pr. Ananat Kanekar Marg, Bandra (East), Mumbai - 400 051.

Intimation of Approval under Sub regulation 2.3 of Appendix - IV of D.C.H. No. 33 (10) Dt. 15.10.97 for Brihanmumbal.

No. SHA/ENG/ 30.63/MW/PL/AP 11.4 FEB 2014

SA	LE:	Bl	.00	»NC	62
					-

To,

1 1/5. Joy B ilders.

306-310, Madhava, 3rd ricer, C-4, Bandra Kuria Gemplex, Sandra (C), Numbel 100 051,

With reference to your Notice, letter No. 645 dated 21/11/289 3 and delivered on 25/11/2013 20 and the plans, Sections, Specifications and Description and further particulars and details of your building at CTS No.8/86/12 4 E/99A(pt.) of village Bandre, Mumbal Suburban District, Dr. Aphediar Road, Khar (3), Mumbal 4400 050.

turnished to me under your letter, dated <u>02/01/2014</u> 20 I have to inform you that the proposal of construction of the building or work proposed to be erected or executed is hereby approved under section 45 of the Maharashira Regional & Town Planning Act, 1966 as amended up-to-date, subject to the following conditions:

- A. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE COMMENCEMENT OF THE WORK UPTO PLINTH LEVEL
- A.1) That the Commencement Certificate us/, 44/69 (1) of the MR & TP Act, Shall be obtained before starting the proposed work.
- A.2) That the compound shall be constructed, after getting the plot demarcated from the concerned authority, on all sides of the plot clear of the road side drain without obstructing the flow of rain water from the adjoining holding, to prove possession of holding before starting the work as per D.C. Regulation No. 38 (27)
- A.3) That the structural Engineer shall be appointed, and the Supervision memo as per Appendix XI O.C. Regulation 5(3) (ix) shall be submitted by him.
- A.4) That the Structural design and calculations for the proposed work accounting for system analysis as par relevant i.S. code along with plan shall be submitted before C.C.

Subject to your so modifying your intention a	s to comply the aforesaid mentioned conditions and
meet by requirements. You will be at liberty to proceed	ed with the said building or work at anytime before the
day of 20	but not so as to contravene any of the provisions of
the said Act as amended as aforesaid or any rule, re	igulations of bye-law made under that Act at the time
In force.	

Your attention is drawn to the special tostructions and Notes accompanying this intimation of Approval

Executive Engineer. (S.R.A.)

SPECIAL INSTRUCTIONS

- (1) IN CASE OF PRIVATE PLOTS THIS INTIMATION OF APPROVAL GIVES NO RIGHT TO BUILD UPON LAND WHICH IS NOT YOUR PROPERTY.
- (2) Under Section 151 & 152 of M.A. & T.P. Act 1966, as amended the Chief Executive Officer, Stum Rehabilitation Authority has empowered the Chief Engineer (S.R.A.)/ Executive Engineer (S.R.A.) to exercise, perform and discharge the powers, duties and functions conferred and imposed upon and vested in the C.E.O. (S.R.A.) by section of the said Act.
- (3) Proposed date of commencement of work should be communicated to this office.
- (4) One more copy of the block plan should be submitted to the Collector, Mumbal / Mumbal Suburbs District as the case may be.
- (5) Necessary permission for Non-agricultural use of the land shall be obtained from the Collector, Mumbal / Mumbal Suburban District before the work is started. The Non-agricultural assessment shall be paid at the rate that may be fixed by the Collector, under the Land Revenue Code and Rules thereunder.

Attention is drawn to the notes Accompanying this Intimation of Approval.

- 5) That the minimum plinth height shall be 30 cm. above the surrounding ground level or in areas subject to flooding the height of plinth shall be at least 50 cm. above the high flood level.
- That the low lying plot shall be filled up to a reduced level of atleast 92 T.H.D. or 15 cm. above adjoining road level whichever is higher with murum, earth, boulders etc. and shall be leveled, rolled, consolidated and sloped towards road.
- 7) That the internal drainage layout shall be submitted & got approved from concerned Asst. Engineer (SRA) and the drainage work shall be executed in accordance with the approved drainage layout.
- 8) That the existing structure proposed to be demolished shall be demolished with necessary phase program by executing agreement with eligible slum dwellers.
- That the Registered site supervisor through Architects/Structural Engineer shall be appointed before applying for C.C. & quarterly report from the site supervisor shall be submitted through the Architect/Structural Engineer certifying the quality of the construction work carried out at various stages of the work.
- 10) That no construction work shall be allowed to start on the site unless labour insurance is taken out for the concerned labours and the same shall be revalidated time to time. And the compliance of same shall be intimated to this office.
- That the Registered Undertaking from the Developer and Society shall be submitted for the following
 - i) Not misusing part/pocket terrace.
 - ii) Not misusing stilt.
 - iii) Not misusing Refuge Area
 - iv) To Demolish the excess area if constructed beyond permissible F.S.I.
 - v) Handing over setback land free of compensation alongwith the plan.
 - vi) Not misusing the fitness centre & handing over to society of prospective flat purchaser, free of cost.
 - vii) That in case of the premium for fungible compensatory FSI is not paid & plans are not amended for entire 8th to 14th, 15th (pt) floors including fungible compensatory FSI, then the additional parking spaces shall be counted in FSI.

- 12) The Structural designs and the quality of materials and workmanship shall be strictly as per conditions laid down in Regulation 45 of DCR 1991 amended up to date.
- 13) That you shall submit the NOC's as applicable from the following concerned authority in the office of Slum Rehabilitation Authority at a stage at which it is insisted upon by the concerned Executive Engineer (SRA).

Sr. No.	NOC's	Stage of Compliance
1	A.A. & C. H/W'-Ward	Before Plinth CC of Sale bldg.
2	H.E. from MCGM	Before Plinth CC of Sale bldg.
3	Tree Authority	Before Plinth CC of Sale bldg.
4	Dy. Ch. Eng.(SWD) E.S./W.S./City i) Regarding Internal SWD	Before Further CC of Sale bldg.
5	Dy. Ch. Eng.(S.P.) (P & D)	Before Plinth CC of Sale bldg.
6	Dy.Ch.Eng.(Roads) E.S./W.S./City	Before further CC of Sale bidg
7	P.C.O.	Before Plinth CC of Sale bidg.
8	BEST / TATA / Reliance Energy / MSEB / Electric Co.	Before Further CC of Sale bldg.
9	NOC's from MTNL-Mumbai regarding required area & location for installation of telephone concentrators room.	Before OCC of Sale bidg.
10.	Civil Aviation Authority	Before Plinth CC of Sale bldg.
11.	E.E. (M&E) of MCGM	Before plinth CC of Sale bldg.
12.	E.E. (T&C) of MCGM for Parking Layout	
13.	CFO	Before Plinth CC of Sale bldg.

- 14) That the design and construction of the proposed building will be done under supervision of Registered Structural Engineer as per all relevant I.S. Codes including seismic loads as well as under the supervision of Architect and Licensed Site Supervisor.
- [15] That you shall submit Environmental clearance from MOEF before plinth CC to sale building
- B. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE FURTHER C.C. OF SUPER STRUCTURE:
- That a plan showing the dimensions of the plinth and the available open spaces certified by the Architect shall be submitted and the same shall be got checked & certified by the concerned Sub Engineer (SRA).
- 2) That the stability certificate for work carried out upto plinth level/stilt level shall be submitted from the Lie. Structural Engineer.
- That the quality of construction work of bldg, shall be strictly monitored by concerned Architect, Site supervisor, Structural Engineer, Third Party Quality Auditor and Project Management Consultant. The periodical report as regards to the quality of work shall be submitted by Architect along with test result.
- C. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE GRANTING O.C. TO ANY PART OF THE PROPOSED BUILDING.
- All the conditions of Letter of Intent shall be complied with before asking for occupation certificate of sale/composite building.
- The Building Completion Certificate in prescribed Performa certifying work carried out as per specification shall be submitted.
- That some of the drains shall be taid internally with C.l. pipes.
- That you shall developed the tayout access/D.P. Road/setback land including providing streetlights as per the remarks/specifications MCGM. And submit the completion certificate from E.E. (Road Construction) as per the remarks.
- 5) That the dustbin shall be provided as per reguirement.
- That carriage entrance over existing SWD shall be provided and charges if any for the same shall be paid to MCGM before requesting occupation.

- That the surface drawage arrangement shall be provided in consultation with E.E. (SWD) as per the remarks and a completion certificate shall be obtained and submitted before requesting for occupation certificate/B.C.C.
- 8) That the requirements from the M.T.N.L./ Reliance Energy /concerned electric Supply Co. shall be complied and complied with before asking occupation permission.
- That the Architect shall submit the debris removal certificate before requesting for occupation permission.
- 10) That 10'-0" wide paved pathway up to staircase shall be provided.
- 11) That the surrounding open spaces, parking spaces and terrace shall be kept open and unbuilt upon and shall be levelled and developed before requesting to grant permission to occupy the building or submitted the H.C.C. whichever is earlier.
- 12) That the name plate/board showing Plot No., Name of the Bidg. etc. shall be displayed at a prominent place.
- 13) That the N.O.C. from Inspector of Lifts, P.W.D. Maharashtra, shall be obtained and submitted to this office.
- 14) That the drainage completion Certificate from E.E. (S.P.) (P & D) for Provision of septic tank/soak pit/STP shall be submitted.
- 15) That stability Certificate from Structural Engineer in prescribed Performs 'D' along with the final plan mounted on canvas shall be submitted.
- That the single P.R. cards for the amalgamated/subdivided plot shall be submitted.
- 17) That layout R.G. shall be developed as approved by SRA.
- 18) That the N.O.C. from the A.A. & C. 'H/W' Ward shall be obtained and the requisitions, if any shall be complied with before O.C.C.
- [79] That completion certificate from C.F.O. shall be submitted.
- 20) That you shall submit P.R. Card and CTS plan thereby clearly earmarking the rehab plot and sale plot and built up area as per the approved layout.
- 21) That the completion certificate from E.E. [T&C] of MCGM for parking shall be submitted.
- 22) That the completion certificate from E.E. (M&E) of MCGM for Ventilation/Stack parking/Mechanical Parking System shall be submitted.

PDT compression. CCR, web optimization have related as its revaluation and of CVISION PSECompresso

- 23] That the completion certificate from Tree Authority of MCGM shall be submitted.
- 24) That you shall submit the receipt for handing over of buildable / non-buildable reservations before requesting full QCC of sale bldg.
- 25) That 'he Rain Water Harvesting system should be installed/provided as per the direction of U.D.D., Govt. of Maharashtra under No. TPB/432001/2133/CR-230/01/UD-11 dtd.10/03/2005 and the same shall be maintained in good working conditions all the time, failing which penalty of Rs.1000/- per annum for every 100 sq.mt. of built-up area shall be levied.
- D. THAT THE FOLLOWING CONDITIONS SHALL BE COMPLIED WITH BEFORE B.C.C.
- That certificate under Section 270A of B.M.C. Act. shall be obtained from H.E.'s department regarding adequacy of water supply.

NOTES:

- That C.C. for sale building shall be controlled in a phasewise manner as decided by CEO (SRA) in proportion with the actual work of rehabilitation component as per Circular No. 98 & 104.
- That no occupation permission of any of the sale wing/sale building/sale area shall be considered until Occupation Certificate for equivalent Rehabilitation area is granted.
- That CEO (SRA) reserves right to add or amend or delete some of the above or all the above mentioned conditions if required, during execution of Slum Rehabilitation Scheme.

Electric Engineer Slum Rehabilitation Authority


FCompres


NOTES


- (1) The work should not be started unless objections _______are complied with.
- (2) A certified set of latest approved clans shall be displayed on site at the time of commencement: of the work and during the progress of the construction work.
- (3) Temporary permission on payment of deposit should be obtained for any shed to house and store for constructional purposes. Residence of workmen shall not be allowed on site. The temporary structures for storing constructional materials shall be demoished before submission of building completion certificate and a certificate signed by Architect submitted alongwith the building completion certificate.
- (4) Temporary senitary accommodation on full flushing system with necessary drainage arrangement's should be provided on site for workers, before starting the work.
- (5) Water connection for constructional purposes will not be given until the hoarding is constructed and application is made to the Ward Officer of M.C.G.M. with the required deposit for the construction of carriage entrance, over the road side drain.
- (6) The owners shall intimate the Hydraulic Engineer of M.C.Q.M. or his representative in wards of M.C.Q.M. atteast 15 days prior to the date of which the proposed construction work is taken in hand that the water extaining in the compound will be utilised for their construction works and they will not use any Municipal Water for construction purposes. Failing this, it will be presumed that Municipal tap water has been consumed on the construction works and bills preferred against them accordingly.
- (7) The hoarding or screen wall for supporting the depots of building materials shall be constructed before starting any work even though no materials may be expected to be stabled in front of the property. The scaffoldings, bricks, metal, sand, preps, debyts etc. should not be deposited over footpaths or public street by the owner/architect/their contractors, etc. without obtaining prior permission from the Ward Officer of the area.
- (8) The work should not be started unless the compliance of abovesaid conditions is approved by this department.
- (9) No work should be started unless the structural design is submitted from LSE.
- (10) The work above plinth should not be started before the same is shown to this office Sub-Engineer (SRA) concerned and acknowldgement obtained from him regarding correctness of the open spaces dimension.
- (11) The application for nawer street connections, if necessary, should be made almultaneously with communicament of the work as the Municipal Corporation of Greater Mumbal will require time to consider attemptive site to avoid the excavation of the road and lootpath.
- (12) All the terms and conditions of the epproved layout/sub-division/Amalgamation under No. _____should be adhered to and complied with.
- (18) No building/Drainage Completion Certificate will be accepted and water connection granted (except for the construction purposes) unless road is constructed to the satisfaction of the concerned Ex. Engineer of M.C.G.M. and as per the terms and conditions for sanction to the layout
- (14) Recreation ground or amenity open space should be developed before submission of building Completion Certificate.
- (15) The access road to the full width shall be constructed in water bound macedam before commencing work and should be complete to the salisfaction of concerned. Ex-Engineer of M.C.G.M. Including asphalting. lighting and drainage before submission of the building Completion Certificate.
- (16) Flow of water through adjoining holding or culvert, if any should be maintained unobstructed.
- (17) The surrounding open spaces around the building should be consulidated in concrete having broken glass pieces at the rate of 0.125 cubic metres per 10 Sq.Mtrs below pavement.


- (18) The compound wall or fencing should be constructed clear of the road widening line with foundation below level of the bottom of road side drain without obstructing flow of rain water from adjoining holding before starting the work to prove the owner's holding.
- (19) No work should be started unless the existing structures or proposed to be demorshed are demolished.
- (20) If it is proposed to demolish the existing structures by regotiations with the tenants, under the circumstances, the work as per approved plans should not be taken up in hand unless the Chief Engineer (SRA) is satisfied with the following:
 - Specific plans in respect of evicting or rehousing the existing tenants on your plot stating their number and the greatin occupation of each
 - (ii) Specifically signed agreement between you and the existing tenants that they are willing to avail for the atternative accomposation in the proposed structure.
 - (iii) Plant showing the phase programme of construction has to be duly approved by this office before starting the work so as not to contravene at any stage of construction, the Development Control Rules regarding Open spaces. light and ventilation of existing structure.
- (21) In case of additional floor no work should be started during monagen which will give rise to water teakage and consequent nulsance to the tenants staying on the floor below.
- (22) The bottom of the over head storage work above the finished level of the terrece shall not be more than 1 metre.
- (23) The work anough not be started above first floor level unless the No Objection Certificate from the CMI Aviation Authorities, where necessary, is obtained.
- (24) It is to be understood that the foundations must be excavaled down to hard soil.
- (25) The positions of the nehants and other applicanances in the building should be so arranged as not to necessitate the laying of drains inside the building.
- (26) No new wall, tank, pond, cistern or fountain shall be dug or constructed without the Previous permission in writing from the Chief Executive Officer of Slumi Rehabilitation Authority.
- (27) All gully traps and open channel shall be provided with right fitting mosquite proof covers as per relevant 1. S. specifications.
- (28) No broken bottle should be fixed over boundary walls. The prohibition refers only to broken bottles & not to the use of plains glass for coping over compound wall.
- (29) If the proposed addition is intended to be carried out on old (oundations and structures, you will do so at your own risk.


INIVITY INIVITY














PDF compression, OCR, web optimization using a watermarked evaluation copy of CVISION PDF compressor







PDF compression, OCR, web optimization using a watermarked evaluation copy of CVISION PDFCompression

